

OCT 30 2003



Page ①

510(k) Summary

ArthroCare Corporation
ArthroCare ENT Plasma Wands

K033257

General Information

Submitter Name/Address: ArthroCare Corporation
680 Vaqueros Avenue
Sunnyvale, CA 94085-2936

Establishment Registration Number: 2951580

Contact Person: Valerie Defiesta-Ng
Director, Regulatory Affairs

Date Prepared: October 8, 2003

Device Description

Trade Name: ArthroCare® ENT Plasma Wands

Generic/Common Name: Electrosurgical Device and Accessories

Classification Name: Electrosurgical Cutting and Coagulation
Device and Accessories (21 CFR
878.4400)

Predicate Devices

ArthroCare ArthroWands K030108

Product Description

The ArthroCare ENT Plasma Wands are bipolar, single use, high frequency electrosurgical devices designed for specific indications in otorhinolaryngology (ENT) surgery.

X

Intended Use

The ArthroCare ENT Plasma Wands are indicated for ablation, resection, and coagulation of soft tissue and hemostasis of blood vessels in otorhinolaryngology (ENT) surgery including:

- Adenoidectomy
- Cysts
- Head, Neck, Oral, and Sinus Surgery
- Mastoidectomy
- Myringotomy with Effective Hemorrhage Control
- Nasal Airway Obstruction by Reduction of Hypertrophic Nasal Turbinates
- Nasopharyngeal/Laryngeal indications including Tracheal Procedures, Laryngeal Polypectomy, and Laryngeal Lesion Debulking
- Neck Mass
- Papilloma Keloids
- Submucosal Palatal Shrinkage
- Submucosal Tissue Shrinkage
- Tonsillectomy
- Traditional Uvulopalatoplasty (RAUP)
- Tumors
- Tissue in the Uvula/Soft Palate for the Treatment of Snoring

Substantial Equivalence

This Special 510(k) proposes modifications in dimensional specifications, materials, and labeling for the ArthroCare ENT Plasma Wands, which were previously cleared under K030108 on February 3, 2003. The indications for use, technology, principle of operation, performance specifications, materials, and sterilization parameters of the Wands remain the same as in the predicate cleared 510(k).

Summary of Safety and Effectiveness

The modified ArthroCare ENT Plasma Wands, as described in this submission, are substantially equivalent to the predicate Wands. The proposed modification in dimensional specifications, materials, and labeling are not substantial changes or modifications, and do not significantly affect the safety or efficacy of the devices.



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

OCT 30 2003

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Ms. Valerie Defiesta-Ng
Director, Regulatory Affairs
ArthroCare Corporation
680 Vaqueros Avenue
Sunnyvale, California 94085-2936

Re: K033257

Trade/Device Name: ArthroCare[®] ENT Plasma Wands
Regulation Number: 21 CFR 878.4400
Regulation Name: Electrosurgical cutting and coagulation device and accessories
Regulatory Class: II
Product Code: GEI
Dated: October 8, 2003
Received: October 10, 2003

Dear Ms. Defiesta-Ng:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4659. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,

Miriam C. Provost
for Celia M. Witten, Ph.D., M.D.

Director

Division of General, Restorative
and Neurological Devices

Office of Device Evaluation

Center for Devices and Radiological Health

Enclosure

Indications for Use Statement

Device Name: ArthroCare ENT Plasma Wands

510(k) Number: K 033257

Indications for use:

The ArthroCare ENT Plasma Wands are indicated for ablation, resection, and coagulation of soft tissue and hemostasis of blood vessels in otorhinolaryngology (ENT) surgery including:

- Adenoidectomy
- Cysts
- Head, Neck, Oral, and Sinus Surgery
- Mastoidectomy
- Myringotomy with Effective Hemorrhage Control
- Nasal Airway Obstruction by Reduction of Hypertrophic Nasal Turbinates
- Nasopharyngeal/Laryngeal indications including Tracheal Procedures, Laryngeal Polypectomy, and Laryngeal Lesion Debulking
- Neck Mass
- Papilloma Keloids
- Submucosal Palatal Shrinkage
- Submucosal Tissue Shrinkage
- Tonsillectomy
- Traditional Uvulopalatoplasty (RAUP)
- Tumors
- Tissue in the Uvula/Soft Palate for the Treatment of Snoring

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use

X

OR

Over-the-Counter
Use

(Per 21 CFR
801.109)

Miriam C. Provost
(Division Sign-Off)
Division of General, Restorative
and Neurological Devices

510(k) Number K033257